

Laboratory centrifuges

Neya 10 R

Code: 40100332



TECHNICAL DATA SHEET

Standards applied

Warranty 2 anni anni

Performance

| | |
|--------------------------------------|---|
| Capacity max. (fixed angle rotor) | 6 x 100 ml ml |
| Capacity max. (swing rotor) | 4 x 175 ml ml |
| Acceleration ramps | 0 ÷ 9 (0 = min. - 9 = max.) |
| Deceleration ramps | 0 ÷ 9 (0 = no brake, 1 = min. - 9 = max.) |
| RCF max (fixed angle rotor) | 4800 x g x g |
| RCF max (swing rotor) | 3600 x g x g |
| Noise | 55 db dB |
| Maximum speed with fixed angle rotor | rpm rpm |
| Maximum speed with swing rotor | 4500 rpm rpm |

Features

| | |
|-------------------|---|
| Imbalance control | Yes |
| Time and date | Yes |
| RCF display | Yes |
| Spin function | Yes |
| RCF setting | Yes |
| Rotor indication | Yes |
| Speed limiter | Yes |
| Programs | Yes |
| Control system | Microprocessor and backlit display |
| Timer | 00:30 ÷ 99:50 (mm:ss) e in continuo hh:mm |
| Type of motor | Brushless induction |
| Max speed check | Yes |

Feeds

Via della Meccanica, 25, 41012 Carpi (MO) - Italy
+39 059 653274 - info@giorgiobormac.com

| | |
|--------------|----------------------|
| Power supply | 220 ± 10% - 50 Hz VV |
| Consumption | 750 W W |
| Max. amperes | 4 A A |

Dimensions and weight

| | |
|-----------------------------------|-----------------------|
| Entrance height | 275 mm mm |
| Dimensions (WxDxH) | 730 x 640 x 330 mm mm |
| Dimensions height when open | 670 mm mm |
| Weight | 70 Kg kg |
| Weight (with packaging, no rotor) | 92 Kg kg |
